

	Type	Hits	Search Text	DBs	Time Stamp	Comments
1	IS&R	2	("5844684").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/04/20 12:17	
2	BRS	2	"20040167722"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/04/19 15:50	
3	BRS	1247	702/23,32,33,40,179.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/04/19 15:51	
4	BRS	2141	382/130,131,132,238,300.ccls. ls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/04/19 15:52	
5	BRS	6617	356/601-625,635- 640,237.1,237.2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/04/19 15:49	
6	BRS	1011	702/for.134,for.135,for.137, for.139,for.156.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/04/19 15:48	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
7	BRS	96	250/341.4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/04/19 15:49	
8	BRS	326	438/7.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/04/19 16:24	
9	BRS	2007	interpolat\$3 with model\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/04/19 15:50	
10	BRS	35	"356"/\$.ccls. and interpolat\$3 with model\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/04/19 15:51	
11	BRS	1011	702/for.134,for.135,for.13 7,for.139,for.156.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/04/19 15:48	
12	BRS	2276	382/130,131,132,238,300.cc ls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/04/19 15:49	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
13	BRS	6836	356/601-625,635-640,237.1,237.2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/04/19 15:49	
14	BRS	98	250/341.4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/04/19 15:49	
15	IS&R	2	("5844684").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/04/19 15:49	
16	BRS	2	"20040167722"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/04/19 15:50	
17	BRS	2152	interpolat\$3 with model\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/04/19 15:50	
18	BRS	41	"356"/\$.ccls. and interpolat\$3 with model\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/04/19 15:51	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
19	BRS	2276	382/130,131,132,238,300.cc ls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/04/19 15:52	
20	BRS	2350	702/23,32,33,40,179.cc1s. or 702/for.134,for.135,for.13 7,for.139,for.156.cc1s.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/04/19 15:52	
21	BRS	4626	702/23,32,33,40,179.cc1s. or 702/for.134,for.135,for.13 7,for.139,for.156.cc1s. or 382/130,131,132,238,300.cc ls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/04/19 15:53	
22	BRS	11447	702/23,32,33,40,179.cc1s. or 702/for.134,for.135,for.13 7,for.139,for.156.cc1s. or 382/130,131,132,238,300.cc ls. or 356/601-625,635- 640,237.1,237.2.cc1s.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/04/19 15:53	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
23	BRS	11541	702/23,32,33,40,179.ccls. or 702/for.134,for.135,for.13 7,for.139,for.156.ccls. or 382/130,131,132,238,300.cc ls. or 356/601-625,635- 640,237.1,237.2.ccls. or 250/341.4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/19 15:55	
24	BRS	11880	702/23,32,33,40,179.ccls. or 702/for.134,for.135,for.13 7,for.139,for.156.ccls. or 382/130,131,132,238,300.cc ls. or 356/601-625,635- 640,237.1,237.2.ccls. or 250/341.4.ccls. or 438/7.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/19 15:55	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
25	BRS	61	(702/23,32,33,40,179.ccls. or 702/for.134,for.135,for.13 7,for.139,for.156.ccls. or 382/130,131,132,238,300.cc ls. or 356/601-625,635- 640,237.1,237.2.ccls. or 250/341.4.ccls. or 438/7.ccls.) and interpolat\$3 with model\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/19 15:56	
26	BRS	6	(702/23,32,33,40,179.ccls. or 702/for.134,for.135,for.13 7,for.139,for.156.ccls. or 382/130,131,132,238,300.cc ls. or 356/601-625,635- 640,237.1,237.2.ccls. or 250/341.4.ccls. or 438/7.ccls.) and interpolat\$3 with model\$1 and diffract\$3 with structure\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/19 15:56	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
27	BRS	4	(702/23,32,33,40,179.ccls. or 702/for.134,for.135,for.137,for.139,for.156.ccls. or 382/130,131,132,238,300.ccls. or 356/601-625,635-640,237.1,237.2.ccls. or 250/341.4.ccls. or 438/7.ccls.) and interpolat\$3 with model\$1 and diffract\$3 with structure\$1 and (semiconductor\$1 or wafer\$1 or IC\$1 or integrated adj circuit\$1 or chip\$1 or die\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/19 16:05	
28	BRS	75	Levenberg-Marquardt with algorithm and interpolat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/19 16:11	
29	BRS	0	Levenberg-Marquardt with algorithm and interpolat\$3 and theoretical with optical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/19 16:12	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
30	BRS	29	Levenberg-Marquardt with algorithm and interpolat\$3 and theoretical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/20 09:14	
31	BRS	28	Levenberg-Marquardt with algorithm and interpolat\$3 and theoretical and (iterative\$2 or repeat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/19 16:12	
32	BRS	4	Levenberg-Marquardt with algorithm and interpolat\$3 and theoretical and (iterative\$2 or repeat\$3) with best with fit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/19 16:13	
33	BRS	18	Levenberg-Marquardt with algorithm and interpolat\$3 and theoretical and (iterative\$2 or repeat\$3) and best with fit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/19 16:14	
34	BRS	7	Levenberg-Marquardt with algorithm and interpolat\$3 and theoretical and (iterative\$2 or repeat\$3) and best with fit\$4 and difffrac\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/19 16:25	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
35	BRS	0	diffraction\$3 with semiconductor\$1 and interpolat\$3 with model\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/04/19 16:26	
36	BRS	352	438/7.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/04/19 16:24	
37	BRS	14	database with interpolat\$3 and theoretical and (iterative\$2 or repeat\$3) and best with fit\$4 and diffraction\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/04/19 16:26	
38	BRS	3	diffraction\$3 with semiconductor\$1 and interpolat\$3 with model\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/04/19 16:30	
39	BRS	6	diffraction\$3 with structure\$1 and (semiconductor\$1 or wafer\$1 or IC\$1 or integrated adj circuit\$1 or die\$1 or chip\$1) and interpolat\$3 with contin\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/04/19 16:33	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
40	BRS	4	diffract\$3 with structure\$1 and (semiconductor\$1 or wafer\$1 or IC\$1 or integrated adj circuit\$1 or die\$1 or chip\$1) and interpolat\$3 with contin\$5 and (iterative\$2 or repeat\$2) with fit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/19 16:34	
41	BRS	46	diffract\$3 with structure\$1 and (semiconductor\$1 or wafer\$1 or IC\$1 or integrated adj circuit\$1 or die\$1 or chip\$1) and interpolat\$3 and (contin\$5 or iterative\$2 or repeat\$2) with fit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/20 09:00	
42	BRS	46	diffract\$3 with structure\$1 and (semiconductor\$1 or wafer\$1 or IC\$1 or integrated adj circuit\$1 or die\$1 or chip\$1) and interpolat\$3 and (contin\$7 or iterative\$2 or repeat\$4) with fit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/20 09:09	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
43	BRS	0	diffract\$3 with structure\$1 and (semiconductor\$1 or wafer\$1 or IC\$1 or integrated adj circuit\$1 or die\$1 or chip\$1) and interpolat\$3 and (contin\$7 or iterative\$2 or repeat\$4) with fit\$4 and optical with nsignal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/20 09:09	
44	BRS	38	diffract\$3 with structure\$1 and (semiconductor\$1 or wafer\$1 or IC\$1 or integrated adj circuit\$1 or die\$1 or chip\$1) and interpolat\$3 and (contin\$7 or iterative\$2 or repeat\$4) with fit\$4 and optical with signal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/20 09:10	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
45	BRS	7	<p>diffract\$3 with structure\$1 and (semiconductor\$1 or wafer\$1 or IC\$1 or integrated adj circuit\$1 or die\$1 or chip\$1) and interpolat\$3 and (contin\$7 or iterative\$2 or repeat\$4) with fit\$4 and optical with signal\$1 with parameter\$1</p>	<p>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</p>	2005/04/20 09:10	
46	BRS	7	<p>diffract\$3 with structure\$1 and (semiconductor\$1 or wafer\$1 or IC\$1 or integrated adj circuit\$1 or die\$1 or chip\$1) and interpolat\$3 and (contin\$7 or iterative\$2 or repeat\$4) with fit\$4 and optical with signal\$1 with parameter\$1 and (profile\$1 or database)</p>	<p>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</p>	2005/04/20 09:12	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
47	BRS	4	diffract\$3 with structure\$1 and (semiconductor\$1 or wafer\$1 or IC\$1 or integrated adj circuit\$1 or die\$1 or chip\$1) and interpolat\$3 and (contin\$7 or iterative\$2 or repeat\$4) with optical with signal\$1 with parameter\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/20 09:13	
48	BRS	30	diffract\$3 with structure\$1 and (semiconductor\$1 or wafer\$1 or IC\$1 or integrated adj circuit\$1 or die\$1 or chip\$1) and (determin\$3 or calculat\$3) with optical with signal\$1 with parameter\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/20 09:52	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
49	BRS	3	diffract\$3 with structure\$1 and (semiconductor\$1 or wafer\$1 or IC\$1 or integrated adj circuit\$1 or die\$1 or chip\$1) and (determin\$3 or calculat\$3) with optical with signal\$1 with parameter\$1 with interpolat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/20 09:14	
50	BRS	0	Levenberg-Marquardt with algorithm with interpolat\$3 with point\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/20 09:15	
51	BRS	26	Levenberg-Marquardt with algorithm and interpolat\$3 with point\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/20 12:38	
52	BRS	0	Levenberg-Marquardt with algorithm same interpolat\$3 with point\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/20 09:15	
53	BRS	2	"20020038196"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/20 09:49	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
54	BRS	5	diffraction\$3 with structure\$1 and (semiconductor\$1 or wafer\$1 or IC\$1 or integrated adj circuit\$1 or die\$1 or chip\$1) and approximat\$3 with optical with signal\$1 with parameter\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/20 09:59	
55	BRS	0	diffraction\$3 with structure\$1 and (semiconductor\$1 or wafer\$1 or IC\$1 or integrated adj circuit\$1 or die\$1 or chip\$1) and (database\$1 or profile or librar\$3) with interpolat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/20 10:00	
56	BRS	39	diffraction\$3 with structure\$1 and (semiconductor\$1 or wafer\$1 or IC\$1 or integrated adj circuit\$1 or die\$1 or chip\$1) and (database\$1 or profile or librar\$3) with interpolat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/20 10:14	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
57	BRS	9	diffract\$3 with structure\$1 and (semiconductor\$1 or wafer\$1 or IC\$1 or integrated adj circuit\$1 or die\$1 or chip\$1) and (database\$1 or profile or librar\$3) with interpolat\$3 with theoretic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/20 10:03	
58	BRS	9	diffract\$3 with structure\$1 and (semiconductor\$1 or wafer\$1 or IC\$1 or integrated adj circuit\$1 or die\$1 or chip\$1) and (database\$1 or profile or librar\$3) with (insert\$3 or interpolat\$3) with theoretic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/20 10:04	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
59	BRS	15	diffract\$3 with structure\$1 and (semiconductor\$1 or wafer\$1 or IC\$1 or integrated adj circuit\$1 or die\$1 or chip\$1) and (database\$1 or profile or librar\$3) and (insert\$3 or interpolat\$3) with theoretic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/20 10:04	
60	BRS	6	diffract\$3 with structure\$1 and (semiconductor\$1 or wafer\$1 or IC\$1 or integrated adj circuit\$1 or die\$1 or chip\$1) and (database\$1 or profile or librar\$3) with interpolat\$3 with model\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/20 10:15	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
61	BRS	7	diffract\$3 with structure\$1 and (semiconductor\$1 or wafer\$1 or IC\$1 or integrated adj circuit\$1 or die\$1 or chip\$1) and (database\$1 or profile or librar\$3) and interpolat\$3 with model\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/20 10:16	
62	BRS	16	diffract\$3 with structure\$1 and (semiconductor\$1 or wafer\$1 or IC\$1 or integrated adj circuit\$1 or die\$1 or chip\$1) and (database\$1 or profile or librar\$3) and Levenberg- Marquardt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/20 10:23	
63	BRS	195	diffract\$3 with structure\$1 and (semiconductor\$1 or wafer\$1 or IC\$1 or integrated adj circuit\$1 or die\$1 or chip\$1) and (database\$1 or profile or librar\$3) and interpolat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/20 10:23	

Type	Hits	Search Text	DBs	Time Stamp	Comments
64	BRS 11	diffract\$3 with structure\$1 and (semiconductor\$1 or wafer\$1 or IC\$1 or integrated adj circuit\$1 or die\$1 or chip\$1) and (database\$1 or profile or librar\$3) and interpolat\$3 with theoretic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/20 10:23	
65	BRS 23	diffract\$3 with structure\$1 and (semiconductor\$1 or wafer\$1 or IC\$1 or integrated adj circuit\$1 or die\$1 or chip\$1) and (database\$1 or profile or librar\$3) and interpolat\$3 same theoretic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/20 10:34	
66	BRS 23	diffract\$3 with structure\$1 and (semiconductor\$1 or wafer\$1 or IC\$1 or integrated adj circuit\$1 or die\$1 or chip\$1) and (database\$1 or profile or librar\$3) and interpolat\$3 same theoretic\$4 and fit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/20 10:25	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
67	BRS	90	diffract\$3 with structure\$1 and (semiconductor\$1 or wafer\$1 or IC\$1 or integrated adj circuit\$1 or die\$1 or chip\$1) and (database\$1 or profile or librar\$3) and interpolat\$3 and theoretic\$4 and fit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/20 10:26	
68	BRS	41	diffract\$3 with structure\$1 and (semiconductor\$1 or wafer\$1 or IC\$1 or integrated adj circuit\$1 or die\$1 or chip\$1) and (database\$1 or profile or librar\$3) and interpolat\$3 and theoretic\$4 and (contin\$7 or iterative\$2 or repeat\$4) with fit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/20 10:26	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
69	BRS	0	<p>diffraction\$3 with structure\$1 and (semiconductor\$1 or wafer\$1 or IC\$1 or integrated adj circuit\$1 or die\$1 or chip\$1) and (database\$1 or profile or librar\$3) and interpolat\$3 with equal with theoretic\$4</p>	<p>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</p>	2005/04/20 10:34	
70	BRS	5	<p>diffraction\$3 with structure\$1 and (semiconductor\$1 or wafer\$1 or IC\$1 or integrated adj circuit\$1 or die\$1 or chip\$1) and (database\$1 or profile or librar\$3) and interpolat\$3 with equal</p>	<p>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</p>	2005/04/20 10:36	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
71	BRS	23	diffract\$3 with structure\$1 and (semiconductor\$1 or wafer\$1 or IC\$1 or integrated adj circuit\$1 or die\$1 or chip\$1) and (database\$1 or profile or librar\$3) and interpolat\$3 same theoretic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/20 10:37	
72	IS&R	2	("5877859").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/20 10:38	
73	IS&R	2	("5830611").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/20 10:38	
74	IS&R	2	("5867276").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/20 10:38	
75	BRS	29	parameter\$1 with optical with fit\$4 and interpolat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/04/20 11:45	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
76	BRS	1	Levenberg-Marquardt with algorithm and interpolat\$3 with best with fit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/04/20 12:43	
77	BRS	68	interpolat\$3 with best with fit\$4 and theoretic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/04/20 12:43	
78	BRS	42	interpolat\$3 with best with fit\$4 and theoretic\$4 and model\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/04/20 12:44	
79	BRS	11	interpolat\$3 with model\$1 and interpolat\$3 with best with fit\$4 and theoretic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/04/20 12:45	
80	BRS	11	interpolat\$5 with model\$1 and interpolat\$3 with best with fit\$4 and theoretic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/04/20 12:45	
81	BRS	2336	702/23, 32, 33, 40, 179, 182.cc ls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/04/20 13:07	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
82	BRS	1771	250/341.4, 226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/04/20 13:13	
83	BRS	9422	356/432, 445, 601-625, 635- 640, 237.1, 237.2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/04/20 13:13	